

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
	:	Examiner: N. H. Tran
TORU KOIZUMI, ET AL.)	
	:	Group Art Unit: 2622
Application No.: 10/622,540)	
	:	Confirmation No.: 3894
Filed: July 21, 2003)	
	:	
For: SOLID STATE PICKUP DEVICE)	December 16, 2008
AND MANUFACTURING METHOD	:	
THEREFOR)	
	:	
U.S. Patent No. 7,274,394 B2)	
	:	
Issued: September 25, 2007)	

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR
CERTIFICATE OF CORRECTION
UNDER RULE 322

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to an error which appears in the printed patent as a result of Patent and Trademark Office mistake. A Certificate of Correction form is attached.

Any fees necessary in connection with this Certificate of Correction may be deducted from Deposit Account No. 06-1205.

Patent No.: 7,274,394

Patentees' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our below-listed address.

Respectfully submitted,

/Scott D. Malpede/

Scott D. Malpede
Attorney for Patentees
Registration No. 32,533

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

SDM/vnm

FCHS_WS 2005458v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,274,394 B2

DATED : September 25, 2007

INVENTOR(S) : TORU KOIZUMI, ET AL.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 2:

Line 24, " ϵ_{Si} :" should read $--\epsilon_{Si}--$.

COLUMN 6:

Lines 57-58, should be deleted.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,274,394 B2

No. of add'l. copies
@ 30¢ per page

